

FIG. 1




FIG. 2




FIG. 3




FIG. 4

| USER NAME | USER IDENTIFIER | DATA IDENTIFIER | USER DATA | RECIPIENT IDENTIFIER | RECIPIENT ADDRESS |
|-----------|-----------------|-----------------|-----------|----------------------|-------------------|
| ABCXX | XXX1 | %1 | XXX1A1 | %D1 | www.***.jp |
| | | %2 | XXX1A2 | %D2 | ***@***.**.com |
| | | . | . | . | . |
| BCDXY | XXX2 | %1 | XXX2A1 | %A1 | www.***.jp |
| | | %2 | XXX2A2 | %B2 | 03-1234-5678 |
| | | . | . | . | . |
| . | . | . | . | . | . |
| . | . | . | . | . | . |
| . | . | . | . | . | . |


FIG. 5

FIG. 6

START OF TRANSMISSION

EXTRACT RECIPIENT
DATA

S31

IS RECIPIENT DATA
IDENTIFIER?

S32

YES

S33

RETRIEVE RECIPIENT ADDRESS
USING RECIPIENT IDENTIFIERADDRESS CORRESPONDING
TO IDENTIFIER
AVAILABLE?

S34

YES

S35

SEND DATA TO THAT
ADDRESS

RETURN

S36

SEND DATA TO RECIPIENT
ADDRESS

FIG. 6

FIG. 7

| USER NAME | USER IDENTIFIER | PASSWORD | USER GROUP |
|-----------|-----------------|----------|------------|
| ABCXX | XX001 | PABX1 | G001 |
| BCDXY | XX002 | PBCYF | G008 |
| CDEXY | XX003 | PCDX5 | G005 |
| ⋮ | ⋮ | ⋮ | ⋮ |

FIG. 8

| USER GROUP | USER GROUP DATA | DISCLOSABLE USER GROUP |
|------------|-----------------|------------------------|
| G001 | XXX1A1 | G002 |
| G002 | XYX2B1 | G001, G005 |
| G003 | XYZ0B5 | G004, G005 |
| ⋮ | ⋮ | ⋮ |

FIG. 9

START OF SERVICE PROVISION

